



Secto[®]
DESIGN

Iconic wooden lighting collection
with a clear and timeless
Scandinavian feel.

www.sectodesign.fi



Secto Design Oy
Kauppalaantie 12, 02700 Kauniainen, Finland
tel. +358 9 5050 598
info@sectodesign.fi

Secto Design Oy owns and controls all the intellectual property rights of the designs of its products and related material such as photos and drawings. All use of Secto Design Oy's intellectual property rights without written permission is strictly prohibited. Secto Design Oy takes the protection of intellectual property rights very seriously. If Secto Design Oy's intellectual property rights have been used without permission, legal proceedings might be brought against the interfering party, seeking monetary damages and/or an injunction to stop infringing the rights. Legal cost payments may result.



Secto Design

Secto Design is a Finnish company specialised in wooden designer light fixtures.

Skilled craftsmen make the ecological Secto Design lights by hand in Finland from Finnish PEFC-certified birch. Our lights are used in both homes and public spaces. Over 85 percent of the lamps are exported to all over the world.

"The respect for Northern wood, clear Scandinavian design and professional woodworking is the basis of the Secto Design lighting collection." Tuula Jusélius



Beloved birch

We Finns have not been urban for very long — most have roots in the countryside that go back no further than two generations. Accordingly, nature is important to us; even a necessity of life.

In the summer we head to a cottage by the sea or a lake. There we are in our element. We relax and reinvigorate ourselves by the waterside admiring the sunset, the sparkle of water, the singing of birds, and the whistling of the wind in the trees.

The forest is particularly important to us. It has provided us shelter and kept us alive. Trees, 'green gold', have been our treasure.

Our most beloved tree is the birch. A white-trunked birch grove has a beauty so delicate that many who have spent a long time abroad wish to see birches as the first thing upon their arrival. Birch branches are turned into bath whisks. Birch keeps our fireplaces warm. And birch, the best knotless veneer, is also used to make Secto Design lamps. By hand.

I hope that our lamps will bring the harmony of Finnish birch groves to your spaces as well.

Tuula Jusélius
Founder, Creative Director
Secto Design Oy

"The Secto Design lamps are architectonic spaces whose softly filtered light creates an inviting and intensive atmosphere." Seppo Koho




Designer

The entire Secto Design lighting collection is designed by internationally acclaimed architect, interior designer Seppo Koho (b. 1967). Secto Design has collaborated with Seppo Koho since 1995, first with furniture and since 2002 focusing solely on lamps.

Seppo Koho graduated from both Tampere University of Technology and University of Art and Design Helsinki. Now he runs his own architecture studio in Helsinki.

Seppo Koho's architectonic touch is clearly visible on the Secto Design lighting collection.



Secto Design
Collection



Secto 4200
p. 8



Octo 4240
p. 32



Victo 4250
p. 34



Secto 4201
p. 10



Atto 5000
p. 36



Owalo 7000
p. 42



Puncto 4203
p. 14



Kontro 6000
p. 38



Petite 4600
p. 24



Secto 4202
p. 12



Aspiro 8000
p. 40



Teelo 8020
p. 50



Secto 4230
p. 20



Secto 4220
p. 18




Secto 4210
p. 16



Secto 4231
p. 22



Owalo 7020
p. 46



Owalo 7010
p. 44




Owalo 7030
p. 48



Petite 4620
p. 26



Petite 4630
p. 30




Varsi 1000
p. 52



Classic
innovation

Secto 4200

Finishes	Shade	Cable + ceiling cup
	● Natural birch	White
	● White laminated	White
	● Black laminated	Black
	● Walnut veneer	White
Material	Form pressed birch slats	
Sizes	Height 60 cm	
	Diameter Ø 30 cm	
	Weight 1,4 kg	
	Package 33 × 33 × 64 cm, 2,5 kg	
Light source	E27, LED max. 20 W, incl. Check the website for more details. The use of special bulbs such as halogen, mirror or 12 V bulbs in Secto Design lamps is forbidden, due to overheating.	
Cable	150 cm, textile cable, ceiling plug/connector + ceiling cup	
Classification	Ingress Protection IP20	
	IEC Protection Class II	





Warm and
comfortable

Secto 4201

Finishes	Shade	Cable + ceiling cup
	● Natural birch	White
	● White laminated	White
	● Black laminated	Black
	● Walnut veneer	White
Material	Form pressed birch slats	
Sizes	Height 45 cm	
	Diameter Ø 25 cm	
	Weight 1,2 kg	
	Package 26 × 26 × 50 cm, 1,6 kg	
Light source	E27, LED max. 20 W, incl. Check the website for more details. The use of special bulbs such as halogen, mirror or 12 V bulbs in Secto Design lamps is forbidden, due to overheating.	
Cable	150 cm, textile cable, ceiling plug/connector + ceiling cup	
Classification	Ingress Protection IP20	
	IEC Protection Class II	





Monumental
and cosy

Magnum 4202

Finishes	Shade	Cable + ceiling cup
	● Natural birch	White
	● White laminated	White
	● Black laminated	Black
	● Walnut veneer	White
Material	Form pressed birch slats	
Sizes	Height 87 cm	
	Diameter Ø 56 cm	
	Weight 4,1 kg	
	Package 58 × 58 × 93 cm, 7,0 kg	
Light source	E27, LED max. 20 W, incl. Check the website for more details. The use of special bulbs such as halogen, mirror or 12 V bulbs in Secto Design lamps is forbidden, due to overheating.	
Cable	200 cm, textile cable, ceiling plug/connector + ceiling cup + 3 steel wires	
Classification	Ingress Protection IP20 IEC Protection Class II	





With
a wider
shine

Puncto 4203

Finishes	Shade	Cable + ceiling cup
	● Natural birch	White
	● White laminated	White
	● Black laminated	Black
	● Walnut veneer	White
Material	Form pressed birch slats	
Sizes	Height 40 cm	
	Diameter Ø 45 cm	
	Weight 1,5 kg	
	Package 46 × 49 × 49 cm, 3,0 kg	
Light source	E27, LED max. 20 W, incl. Check the website for more details. The use of special bulbs such as halogen, mirror or 12 V bulbs in Secto Design lamps is forbidden, due to overheating.	
Cable	150 cm, textile cable, ceiling plug/connector + ceiling cup	
Classification	Ingress Protection IP20	
	IEC Protection Class II	





Ambient
eye-catcher

Secto 4210

Finishes	Shade	Cable	Frame
	● Natural birch	Black	Gray RAL 9006
	● White laminated	Black	Gray RAL 9006
	● Black laminated	Black	Black RAL 9005
	● Walnut veneer	Black	Gray RAL 9006
Material	Form pressed birch slats; structure painted steel frame		
Sizes	Height 175–185 cm, adjustable		
	Diameter Ø 30 cm		
	Base Ø 34 cm		
	Weight 7,0 kg		
	Package 45 × 39 × 107 cm, 10,5 kg		
Light source	E27, LED max. 20 W, incl. Check the website for more details. The use of special bulbs such as halogen, mirror or 12 V bulbs in Secto Design lamps is forbidden, due to overheating.		
Cable	250 cm, switch on the cable		
Classification	Ingress Protection IP20 IEC Protection Class II		
Assembly	Please refer to the separate instructions on the website.		





Friendly
companion

Secto 4220

Finishes	Shade	Cable	Frame
	● Natural birch	Black	Gray RAL 9006
	● White laminated	Black	Gray RAL 9006
	● Black laminated	Black	Black RAL 9005
	● Walnut veneer	Black	Gray RAL 9006
Material	Form pressed birch slats; structure painted steel frame		
Sizes	Height 75 cm		
	Diameter Ø 25 cm		
	Base Ø 28 cm		
	Weight 4,3 kg		
	Package 37 × 30 × 76 cm, 6,3 kg		
Light source	E27, LED max. 20 W, incl. Check the website for more details. The use of special bulbs such as halogen, mirror or 12 V bulbs in Secto Design lamps is forbidden, due to overheating.		
Cable	200 cm, switch on the cable		
Classification	Ingress Protection IP20 IEC Protection Class II		
Assembly	Please refer to the separate instructions on the website.		






Both up
and down

Secto 4230

Finishes	Shade	Cable
	● Natural birch	White
	○ White laminated	White
	● Black laminated	White
	● Walnut veneer	White
Material	Form pressed birch slats	
Sizes	Height 60 cm	
	Width 13,5 / 30 cm	
	Depth 18 cm	
	Weight 1,0 kg	
	Package 36 × 20 × 66 cm, 2,0 kg	
Light source	E14, LED max. 20 W, incl. Check the website for more details. The use of special bulbs such as halogen, mirror or 12 V bulbs in Secto Design lamps is forbidden, due to overheating.	
Cable	240 cm, switch on the cable Also available with direct wall mounting.	
Classification	Ingress Protection IP20 IEC Protection Class II	
Installation	Please refer to the separate instructions on the website.	

Mounting options








Brightens up
the walls

Secto 4231

Finishes	Shade	Cable
	● Natural birch	White
	○ White laminated	White
	● Black laminated	White
	● Walnut veneer	White
Material	Form pressed birch slats	
Sizes	Height 45 cm	
	Width 13,5 / 25 cm	
	Depth 15 cm	
	Weight 0,8 kg	
	Package 28 × 18 × 51 cm, 1,3 kg	
Light source	E14, LED max. 20 W, incl. Check the website for more details. The use of special bulbs such as halogen, mirror or 12 V bulbs in Secto Design lamps is forbidden, due to overheating.	
Cable	240 cm, switch on the cable Also available with direct wall mounting.	
Classification	Ingress Protection IP20 IEC Protection Class II	
Installation	Please refer to the separate instructions on the website.	

Mounting options







Small by
popular
demand

Petite 4600

Finishes	Shade	Cable + ceiling cup
	● Natural birch	White
	○ White laminated	White
	● Black laminated	Black
	● Walnut veneer	White
Material	Form pressed birch slats; structure painted steel cylinder	
Sizes	Height 26 cm	
	Diameter Ø 20 cm	
	Weight 0,8 kg	
	Package 22 × 22 × 22 cm, 1,1 kg	
Light source	GX53 base, LED max. 20 W, incl. Check the website for more details.	
Cable	175 cm, textile cable, ceiling plug + ceiling cup	
Classification	Ingress Protection IP20	
	IEC Protection Class II	





Gently
directable

Petite 4620

Finishes	Shade	Cable	Frame
	● Natural birch	White	White RAL 9016
	○ White laminated	White	White RAL 9016
	● Black laminated	Black	Black RAL 9005
	● Walnut veneer	White	White RAL 9016
Material	Form pressed birch slats; structure painted steel frame		
Sizes	Height 56 cm		
	Depth 27 cm		
	Width 20 cm		
	Base Ø 18 cm		
	Weight 3,3 kg		
	Package 27 × 27 × 64 cm, 4,3 kg		
Light source	GX53 base, LED max. 20 W, incl. Check the website for more details.		
Cable	190 cm, switch on the cable		
Classification	Ingress Protection IP20 IEC Protection Class II		
Assembly	Please refer to the separate instructions on the website.		










Petite 4630

Finishes	Shade	Cable	Frame
	● Natural birch	White	White RAL 9016
	○ White laminated	White	White RAL 9016
	● Black laminated	Black	Black RAL 9005
	● Walnut veneer	White	White RAL 9016
Material	Form pressed birch slats; structure painted steel frame		
Sizes	Height 31 cm		
	Depth 37 cm		
	Width 20 cm		
	Base 1,2 x 8,4 cm (direct wall mount version Ø 10 cm)		
	Weight 1,0 kg		
	Package 35 x 30 x 36 cm, 2,2 kg		
Light source	GX53 base, LED max. 20 W, incl. Check the website for more details.		
Cable	200 cm, switch on the cable		
Classification	Ingress Protection IP20 IEC Protection Class II		
Installation	Please refer to the separate instructions on the website.		

Mounting options








Grand
and airy

Octo 4240

Finishes	Shade	Cable + ceiling cup
	● Natural birch	White
	● White laminated	White
	● Black laminated	Black
	● Walnut veneer	White
Material	Form pressed birch slats	
Sizes	Height 68 cm	
	Diameter Ø 54 cm	
	Weight 1,8 kg	
	Package 59 × 59 × 77 cm, 4,0 kg	
Light source	E27, LED max. 20 W, incl. Check the website for more details. The use of special bulbs such as halogen, mirror or 12 V bulbs in Secto Design lamps is forbidden, due to overheating.	
Cable	150 cm, textile cable, ceiling plug/connector + ceiling cup	
Classification	Ingress Protection IP20	
	IEC Protection Class II	





Pleasant
atmosphere

Victo 4250

Finishes	Shade	Cable + ceiling cup
	● Natural birch	White
	● White laminated	White
	● Black laminated	Black
	● Walnut veneer	White
Material	Form pressed birch slats	
Sizes	Height 48 cm	
	Diameter Ø 56 cm	
	Weight 1,3 kg	
	Package 59 × 59 × 55 cm, 3,0 kg	
Light source	E27, LED max. 20 W, incl. Check the website for more details. The use of special bulbs such as halogen, mirror or 12 V bulbs in Secto Design lamps is forbidden, due to overheating.	
Cable	150 cm, textile cable, ceiling plug/connector + ceiling cup	
Classification	Ingress Protection IP20	
	IEC Protection Class II	





Crafty
achievement

Atto 5000

Finishes	Shade	Cable + ceiling cup
	● Natural birch	White
	○ White laminated	White
	● Black laminated	Black
	● Walnut veneer	White
Material	Form pressed birch slats	
Sizes	Height 21 cm	
	Diameter Ø 34 cm	
	Weight 1,9 kg	
	Package 39 × 39 × 30 cm, 3,0 kg	
Light source	A built-in LED, 13 W, 2850 K, min. 800 lm, dimmable (type: Trailing Edge)	
Cable	180 cm, textile cable, connector (+ a separate ceiling plug in Finland and Sweden) + ceiling cup	
Classification	Ingress Protection IP20	
	IEC Protection Class II	





Modern
chandelier

Kontro 6000

Finishes	Shade	Cable + ceiling cup
	● Natural birch	White
	○ White laminated	White
	● Black laminated	Black
	● Walnut veneer	White
Material	Form pressed birch slats	
Sizes	Height 21 cm	
	Diameter Ø 45 cm	
	Weight 1,3 kg	
	Package 47 × 47 × 24 cm, 3,0 kg	
Light source	E27, LED max. 20 W, incl. Check the website for more details. The use of special bulbs such as halogen, mirror or 12 V bulbs in Secto Design lamps is forbidden, due to overheating.	
Cable	150 cm, textile cable, ceiling plug/connector + ceiling cup	
Classification	Ingress Protection IP20	
	IEC Protection Class II	





Technological
playfulness

Aspiro 8000

Finishes	Shade ● Natural birch	Cable Black or Red
Material	Form pressed birch	
Sizes	Height ~25–35 cm Diameter Ø 50 cm Weight 2,5 kg Package 16 × 53 × 52 cm, 4,0 kg	
Light source	A built-in LED, 11 W, 2850 K, min. 650 lm, dimmable (built-in step dimming)	
Cable	200 cm (extra lengths max 500 cm by special order), textile cable, connector, separate ceiling plug + ceiling cup	
Classification	Ingress Protection IP20 IEC Protection Class II	





Balanced
tranquility

Owalo 7000

Finishes	Shade	Cable
	● Natural birch	Clear
	○ White laminated	Clear
	● Black laminated	Clear
	● Walnut veneer	Clear
Material	Form pressed birch slats	
Sizes	Height 13 cm	
	Length 100 cm	
	Width 9 cm	
	Weight 3,2 kg	
	Package 103 × 23 × 16 cm, 4,7 kg	
Light source	A built-in LED, 21 W, 2800 K, min. 1000 lm, dimmable (type: Trailing Edge)	
Cable	200 cm (max. length 300 cm), clear cable + 2 steel wires	
Power Supply	by Ligttech/GE. Power box is a white rectangular ceiling box, which is to be installed at max 300 cm from the lamp. Dimensions of the ceiling box: 31 x 4,5 x 4,3 cm	
Classification	Ingress Protection IP20 IEC Protection Class II	
Installation	Please refer to the separate instructions on the website.	





Light
and
dignified

Owalo 7010

Finishes	Shade ● Natural birch ● White laminated ● Black laminated ● Walnut veneer	Cable Black Black Black Black	Frame White RAL 9016 White RAL 9016 Black RAL 9005 White RAL 9016
Material	Form pressed birch slats; structure painted steel frame		
Sizes	Height 168 cm Depth 39 cm Width 7 cm Base Ø 22 cm Weight 6,4 kg Package 174 × 42 × 25 cm, 12,0 kg		
Light source	A built-in LED, 7 W, CRI85, 2800 K, min. 700 lm, non-dimmable		
Cable	250 cm, switch and transformator on the cable		
Classification	Ingress Protection IP20 IEC Protection Class II		





Functionally
thin

Owalo 7020

Finishes	Shade	Cable	Frame
	● Natural birch	Black	White RAL 9016
	● White laminated	Black	White RAL 9016
	● Black laminated	Black	Black RAL 9005
	● Walnut veneer	Black	White RAL 9016

Material	Form pressed birch slats; structure painted steel frame
----------	---

Sizes	Height 50 cm
	Depth 30 cm
	Width 7 cm
	Base Ø 13 cm
	Weight 2,4 kg
	Package 56 × 40 × 16 cm, 3,8 kg

Light source	A built-in LED, 7 W, 2800 K, min. 600 lm, non-dimmable
--------------	--

Cable	250 cm, switch and transformator on the cable
-------	---

Classification	Ingress Protection IP20
	IEC Protection Class II





Owalo 7030

Finishes	Shade	Cable	Frame
	● Natural birch	White	White RAL 9016
	○ White laminated	White	White RAL 9016
	● Black laminated	Black	Black RAL 9005
	● Walnut veneer	White	White RAL 9016

Material Form pressed birch slats; structure painted steel frame

Sizes
 Height 47 cm
 Depth 33 cm
 Width 7 cm
 Base Ø 11,5 cm
 Weight 1,5 kg
 Package 56 × 40 × 16 cm, 2,5 kg


Light source A built-in LED, 7 W, 2800 K, min. 600 lm, non-dimmable

Cable 250 cm, switch and transformer on the cable
 Also available with direct wall mounting.

Classification
 Ingress Protection IP20
 IEC Protection Class II

Installation Please refer to the separate instructions on the website.

Mounting options








Sculptural
and
refined

Teelo 8020

Finishes	Shade	Cable
	<ul style="list-style-type: none"> ● Natural birch ● Walnut veneer 	<ul style="list-style-type: none"> White White
Material	Form pressed birch	
Sizes	Height 38 cm	
	Depth 33 cm	
	Diameter 11 cm	
	Weight 0,8 kg	
	Package 42 × 38 × 16 cm, 1,7 kg	
Light source	E27, LED max. 20 W, incl. Check the website for more details. The use of special bulbs such as halogen, mirror or 12 V bulbs in Secto Design lamps is forbidden, due to overheating.	
Cable	190 cm, textile cable, switch on the cable	
Classification	Ingress Protection IP20 IEC Protection Class II	






Varsi 1000

Finishes	<div>Color</div> <div> <div>●</div> Black </div> <div> <div>○</div> White </div>	<div>Cable</div> <div>Black</div> <div>White</div>	<div>Frame</div> <div>Black 9016</div> <div>White 9005</div>
Material	Structure painted steel		
Sizes	Height 41 cm Length 130–230 cm, adjustable Weight 3,5 kg (without the pendant) Rotation 180 degrees Package 139 x 46 x 8 cm, 5 kg		
Information	Varsi comes with the selected pendant. Varsi can be used with Secto 4200, Secto 4201, Octo 4240, Victo 4250, Puncto 4203, Kontro 6000 and Petite 4600. Using the Atto 5000 requires rewiring the Varsi by an electrician (extra cost).		
Cable	8 m, a plug included, switch on the cable		
Classification	Ingress Protection IP20 IEC Protection Class II		
Installation	The steel plate (6 cm x 20 cm) attached to the vertical stem has four holes for the screws (excl.). Wall strength, wall material and the leverage effect must be taken into account when choosing the screws. Use a spirit level for straightening. The desired hanging height of the pendant is adjusted by tightening the two screws on the arm. When altering the hanging height, open the screws to avoid damaging the textile of the cable. Please refer to the separate instructions on the website.		





Info

Material. Secto Design lamps are made of PEFC certified form pressed Finnish birch. Aircraft plywood is used for the inner rings of the lamps. The finishing options for the shades are untreated natural birch, white or black laminate or waxed walnut veneer. Other colours can be customised for projects at extra cost.

Light. The light source is included in all the lamps. We use warm white (827, 2700–3000 K) LED bulbs in most of our lamps. More specific information can be found on our website. At least 15 mm of space should be left between the bulb and the shade to allow air to circulate. Please regularly ensure that the ring on the lamp holder which supports the wooden shade is tightly fastened. If a dimmer is used, please check the compatibility of the dimmer and the light source in question. The use of special bulbs such as halogen, mirror or 12 V is forbidden due to overheating. Light distribution curves of the Secto Design lamps are available on our website www.sectodesign.fi/collection.

Built-in LED. The Owalo collection as well as Atto and Aspiro pendants come with a built-in LED light source. The current life span estimation of LED is approximately 15 000 hours. Replacement light sources together with the exchanging instructions can be ordered from Secto Design. The Secto Design LED lamps use high-quality LEDs. Due to the rapid development of LEDs and changes in supply, Secto Design reserves the right to switch the LED components to components equivalent or better than the current ones. We recommend dimmers that are optimized for built-in LEDs.

Cables. The colour of the cable depends on the lamp model and the colour of the shade. The standard cable colours are listed in the product information of each model in this catalogue. There is a ceiling cup as well as a connector included in the cable set of the pendant lamps. The Magnum and Owalo pendants are equipped with balancing steel wires. The ceiling box of the Owalo pendant contains the driver required for the LED lights. The cables of the table, floor, and wall lamps in the Owalo collection have a transformer. The wall lamps come with a cable and a switch or alternatively with a direct wall mount option. The cables or any other parts used in Secto Design lamps should not be replaced for safety reasons.

Instructions. Assembly and installation instructions can be downloaded on our website www.sectodesign.fi/collection. The installation of the Owalo pendant lamp should always be carried out by a professional according to the instructions provided. Please note that the pendants should not be installed closer than 15 cm from the ceiling in order to let air circulate.

Maintenance. Wipe dust regularly. To remove fresh stains wipe with a slightly moist cloth.

Testing. Secto Design lamps have been tested in an authorised test laboratory, and they comply with all the requirements for CE marking.

NB. Secto Design reserves the right to changes. Please check our website for the most up-to-date information.

Photo credits

- | | |
|--|--|
| <p>p. 3 Open Innovation House, Aalto University, Otaniemi campus. Espoo, Finland. Interior design by Tuula Lindström / Aalto University's Campus and facility services. Photo by Uzi Varon.</p> <p>p. 4 Tuula Jusélius. Photo by Uzi Varon.</p> <p>p. 4 Seppo Koho. Photo by Uzi Varon.</p> <p>p. 9 Restaurant, Art Museum Gösta. Mänttä, Finland. Photo by Laura Vesa.</p> <p>p. 11 Flower Shop Järvenpää Kukkatalo. Järvenpää, Finland. Photo by Uzi Varon.</p> <p>p. 11 Hotel Evolution. Lisbon, Portugal. Photo by Uzi Varon.</p> <p>p. 13 Private residence. Long Island, New York, USA. Photo by Eric Laignel.</p> <p>p. 13 Cultura Bookstore. São Paulo, Brazil. Architecture by Studio MK27. Photo by Fernando Guerra.</p> <p>p. 13 VPK Packaging, New headquarters. Aalst, Belgium. Architecture and interior design by De Cort & Dervichian. Photo by De Cort & Dervichian.</p> <p>p. 15 Private residence. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 15 Restaurant ViChin Gourmet. Berlin, Germany. Photo by Uzi Varon.</p> <p>p. 15 Private residence. Espoo, Finland. Photo by Uzi Varon.</p> <p>p. 17 Private residence. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 17 Hotel Evolution. Lisbon, Portugal. Photo by Uzi Varon.</p> <p>p. 17 Open Innovation House, Aalto University, Otaniemi campus. Espoo, Finland. Interior design by Tuula Lindström / Aalto University's Campus and facility services. Photo by Uzi Varon.</p> <p>p. 19 Private residence. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 19 Hotel Salpaus. Lahti, Finland. Photo by Pia Paalasvuo.</p> <p>p. 21 Private residence. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 23 Hotel Salpaus. Lahti, Finland. Photo by Pia Paalasvuo.</p> <p>p. 23 Sorger Brot. Graz, Austria. Photo by Markus Kaiser.</p> <p>p. 23 Workshop. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 25 Private residence. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 27 Private residence. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 27 Private residence. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 27 Private residence. Turku, Finland. Photo by Photo by Antero Lynne, Focus Video.</p> | <p>p. 28–29 Restaurant-Shop StarMeal. Antwerp, Belgium. Photo by Ellen Swaan.</p> <p>p. 31 Model room. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 33 Restaurant Kimchee. London, UK. Photo by Yu-Kuang Chou.</p> <p>p. 35 Sorger Brot. Graz, Austria. Photo by Markus Kaiser.</p> <p>p. 35 Rheinische Post, company restaurant. Düsseldorf, Germany. Photo by Constantin Meyer.</p> <p>p. 35 Private Residence. Genolier, Switzerland. Interior Design by Bär & Marée Architectures. Photo by Patrizia Cini.</p> <p>p. 37 Private residence. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 37 The Loft by Brussels Airlines. Brussels, Belgium. Photo by Brussels Airlines.</p> <p>p. 37 Private residence. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 39 Design Dock. Helsinki Design Week. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 39 Private residence. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 39 Private residence. Kirkkonummi, Finland. Photo by Century Films.</p> <p>p. 41 Citypie. Helsinki, Finland. Interior design by Ekaterina Mariinsky. Photo by Uzi Varon.</p> <p>p. 43 Novotel Mitte. Berlin, Germany. Photo by Novotel Mitte.</p> <p>p. 43 Design Dock. Helsinki Design Week. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 45 Private residence. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 47 Private residence. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 47 Private residence. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 47 Private residence. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 49 Private residence. Turku, Finland. Photo by Markku Vuorimaa.</p> <p>p. 51 Private residence. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 51 Private residence. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 51 Private residence. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 53 Design Dock. Helsinki Design Week. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 53 Model room. Helsinki, Finland. Photo by Uzi Varon.</p> <p>p. 53 Model room. Helsinki, Finland. Photo by Uzi Varon.</p> |
|--|--|

Product images by Secto Design Oy



www.sectodesign.fi



Secto Design Oy
Kauppalaantie 12, 02700 Kauniainen, Finland
tel. +358 9 5050 598
info@sectodesign.fi